

Engineering Interpretations

Building Site Development

Soil properties influence development of building sites, including the selection of the site, the design of the structure, construction, post construction performance, and maintenance. Soil limitation ratings of slight, moderate, and severe are given for shallow excavations, dwellings with and without basements, small commercial buildings, local roads and streets, and lawns, landscaping, and golf fairways.

Shallow Excavations

Shallow excavations are trenches or holes dug in the soil to a maximum depth of 5 or 6 feet. They are used for pipelines, sewer lines, telephone and power transmission lines, basements, open ditches, and cemeteries. The ratings are based on the soil properties that influence ease of digging and resistance to sloughing.

Dwellings With or Without Basements

These are single-family houses of three stories or less. The foundation is assumed to be spread footings of reinforced concrete built on undisturbed soil at a depth of 2 feet or the depth of maximum frost penetration, whichever is deeper, for houses without basements, or at a depth of 7 feet if a basement is constructed. The ratings are based on properties affecting soil strength and settlement under a load, and those that affect excavation and construction costs.

Small Commercial Buildings

Limitation ratings are given for the undisturbed soil on which small commercial buildings of less than three stories without basements are built. The foundation is assumed to be placed on spread footings of reinforced concrete at a depth of 2 feet or the depth of maximum frost penetration, whichever is deeper.

Local Roads and Streets

Limitation ratings are given for the use of soils for construction of improved local roads and streets that have all-weather surfacing, commonly of asphalt, gravel with binder in it, or concrete, and that are expected to carry automobile traffic all year. These roads and streets are graded to shed water, and conventional drainage measures are provided. With the probable exception of the hard surface, roads and streets are built mainly from the soil at hand.

Lawns, Landscaping, and Golf Fairways

The soils are rated for their use in establishing and maintaining turf for lawns and golf fairways and ornamental trees and shrubs for residential type landscaping. The ratings are based on the use of soil material at the location with some land smoothing. Irrigation may or may not be needed and is not a criterion in rating. Traps, trees, roughs, and greens are not considered as part of the golf fairway. The properties considered are those listed that affect plant growth and trafficability after vegetation is established.

This subsection includes:

- **(a) Building Site Development**

Washington County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
66014: Haymond-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00
70028: Moko-----	Very limited ~hard bedrock <20" (very limited)	1.00	Very limited ~hard bedrock <40" (very limited)	1.00	Very limited ~hard bedrock <20" (very limited)	1.00	Very limited ~hard bedrock <20" (very limited)	1.00	Very limited ~shallow to bedrock (very limited)	1.00
	~slope (moderately limited)	0.45	~slope (moderately limited)	0.45	~slope (very limited)	1.00	~slope (slightly limited)	0.04	~droughty (very limited)	1.00
									~small stones (limited)	0.64
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
73012: Gravois-----	Limited ~wetness (limited)	0.85	Very limited ~wetness (very limited)	1.00	Limited ~slope (limited)	0.68	Very limited ~low strength (very limited)	1.00	Moderately limited ~wetness (moderately limited)	0.49
	~shrink-swell (moderately limited)	0.45	~shrink-swell (moderately limited)	0.44	~wetness (moderately limited)	0.49	~wetness (moderately limited)	0.49		
					~shrink-swell (moderately limited)	0.45	~shrink-swell (moderately limited)	0.45		
73035: Gravois-----	Limited ~wetness (limited)	0.85	Very limited ~wetness (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~low strength (very limited)	1.00	Moderately limited ~wetness (moderately limited)	0.49
	~slope (limited)	0.68	~slope (limited)	0.68	~wetness (moderately limited)	0.49	~wetness (moderately limited)	0.49	~slope (moderately limited)	0.37
	~shrink-swell (moderately limited)	0.45	~shrink-swell (moderately limited)	0.44	~shrink-swell (moderately limited)	0.45	~shrink-swell (moderately limited)	0.45		

Washington County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73039: Glensted-----	Very limited ~wetness (very limited) ~shrink-swell (very limited)	1.00 1.00	Very limited ~wetness (very limited) ~shrink-swell (limited)	1.00 0.96	Very limited ~wetness (very limited) ~shrink-swell (very limited)	1.00 1.00	Very limited ~low strength (very limited) ~wetness (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00	Very limited ~wetness (very limited)	1.00
73046: Wrengart-----	Moderately limited ~wetness (moderately limited) ~shrink-swell (moderately limited)	0.46 0.45	Very limited ~wetness (very limited) ~shrink-swell (slightly limited)	1.00 0.12	Limited ~slope (limited) ~shrink-swell (moderately limited) ~wetness (slightly limited)	0.68 0.45 0.04	Very limited ~low strength (very limited) ~shrink-swell (moderately limited) ~wetness (slightly limited)	1.00 0.45 0.04	Slightly limited ~wetness (slightly limited)	0.04
73052: Lily-----	Limited ~depth to bedrock (limited)	0.66	Very limited ~hard bedrock <40" (very limited)	1.00	Limited ~slope (limited) ~depth to bedrock (limited)	0.68 0.66	Limited ~low strength (limited) ~depth to bedrock (limited)	0.78 0.66	Limited ~depth to bedrock (limited)	0.66
73053: Lily-----	Limited ~depth to bedrock (limited) ~slope (moderately limited)	0.76 0.30	Very limited ~hard bedrock <40" (very limited) ~slope (moderately limited)	1.00 0.30	Limited ~slope (limited) ~depth to bedrock (limited)	0.99 0.76	Limited ~depth to bedrock (limited)	0.76	Limited ~depth to bedrock (limited) ~droughty (moderately limited) ~too acid (slightly limited)	0.76 0.48 0.06

Washington County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73053: (cont) Bender-----	Limited ~depth to bedrock (limited)	0.76	Very limited ~hard bedrock <40" (very limited)	1.00	Limited ~slope (limited)	0.99	Limited ~depth to bedrock (limited)	0.76	Very limited ~droughty (very limited)	1.00
	~slope (moderately limited)	0.30	~slope (moderately limited)	0.30	~depth to bedrock (limited)	0.76	~large stones (slightly limited)	0.09	~large stones (limited)	0.99
	~large stones (slightly limited)	0.09	~large stones (slightly limited)	0.09	~large stones (slightly limited)	0.09			~depth to bedrock (limited)	0.76
73066: Bender-----	Limited ~depth to bedrock (limited)	0.76	Very limited ~hard bedrock <40" (very limited)	1.00	Limited ~slope (limited)	0.99	Limited ~depth to bedrock (limited)	0.76	Very limited ~droughty (very limited)	1.00
	~slope (moderately limited)	0.30	~slope (moderately limited)	0.30	~depth to bedrock (limited)	0.76	~large stones (slightly limited)	0.09	~large stones (limited)	0.99
	~large stones (slightly limited)	0.09	~large stones (slightly limited)	0.09	~large stones (slightly limited)	0.09			~depth to bedrock (limited)	0.76
73067: Bender-----	Very limited ~slope (very limited)	1.00	Very limited ~hard bedrock <40" (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00
	~depth to bedrock (limited)	0.76	~slope (very limited)	1.00	~depth to bedrock (limited)	0.76	~depth to bedrock (limited)	0.76	~droughty (very limited)	1.00
	~large stones (slightly limited)	0.09	~large stones (slightly limited)	0.09	~large stones (slightly limited)	0.09	~large stones (slightly limited)	0.09	~large stones (limited)	0.99
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
73089: Rueter-----	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00
	~large stones (slightly limited)	0.29	~large stones (slightly limited)	0.29	~large stones (slightly limited)	0.29	~large stones (slightly limited)	0.29	~small stones (very limited)	1.00
			~shrink-swell (slightly limited)	0.09					~too acid (limited)	0.84

Washington County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73159: Yelton-----	Limited ~wetness (limited)	0.93	Very limited ~wetness (very limited) ~shrink-swell (slightly limited)	1.00 0.12	Moderately limited ~wetness (moderately limited) ~slope (moderately limited)	0.56 0.45	Moderately limited ~wetness (moderately limited)	0.56	Moderately limited ~wetness (moderately limited)	0.56
73162: Alred-----	Very limited ~shrink-swell (very limited) ~slope (very limited)	1.00 1.00	Very limited ~slope (very limited) ~shrink-swell (very limited)	1.00 1.00	Very limited ~slope (very limited) ~shrink-swell (very limited)	1.00 1.00	Very limited ~slope (very limited) ~shrink-swell (very limited) ~low strength (very limited)	1.00 1.00 1.00	Very limited ~slope (very limited) ~large stones (moderately limited) ~droughty (slightly limited)	1.00 0.30 0.03
Rueter-----	Very limited ~slope (very limited) ~large stones (slightly limited)	1.00 0.29	Very limited ~slope (very limited) ~large stones (slightly limited) ~shrink-swell (slightly limited)	1.00 0.29 0.09	Very limited ~slope (very limited) ~large stones (slightly limited)	1.00 0.29	Very limited ~slope (very limited) ~large stones (slightly limited)	1.00 0.29	Very limited ~slope (very limited) ~small stones (very limited) ~too acid (limited)	1.00 1.00 0.84
73166: Viburnum-----	Very limited ~shrink-swell (very limited) ~wetness (limited)	1.00 0.85	Very limited ~wetness (very limited) ~shrink-swell (very limited)	1.00 1.00	Very limited ~shrink-swell (very limited) ~wetness (moderately limited) ~slope (moderately limited)	1.00 0.49 0.45	Very limited ~shrink-swell (very limited) ~low strength (very limited) ~wetness (moderately limited)	1.00 1.00 0.49	Moderately limited ~small stones (moderately limited) ~wetness (moderately limited) ~too acid (moderately limited)	0.57 0.49 0.48

Washington County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73166: (cont) Tonti-----	Limited ~wetness (limited)	0.85	Very limited ~wetness (very limited) ~shrink-swell (moderately limited)	1.00 0.33	Moderately limited ~wetness (moderately limited) ~slope (moderately limited)	0.49 0.45	Moderately limited ~wetness (moderately limited)	0.49	Very limited ~small stones (very limited) ~too acid (limited) ~wetness (moderately limited)	1.00 0.60 0.49
73173: Lily-----	Limited ~depth to bedrock (limited)	0.76	Very limited ~hard bedrock <40" (very limited)	1.00	Limited ~depth to bedrock (limited) ~slope (limited)	0.76 0.68	Limited ~depth to bedrock (limited)	0.76	Limited ~depth to bedrock (limited) ~too acid (slightly limited) ~droughty (slightly limited)	0.76 0.06 0.04
Yelton-----	Limited ~wetness (limited)	0.93	Very limited ~wetness (very limited) ~shrink-swell (slightly limited)	1.00 0.12	Moderately limited ~wetness (moderately limited) ~slope (moderately limited)	0.56 0.45	Moderately limited ~wetness (moderately limited)	0.56	Moderately limited ~wetness (moderately limited)	0.56
73174: Lily-----	Limited ~depth to bedrock (limited) ~slope (limited)	0.76 0.76	Very limited ~hard bedrock <40" (very limited) ~slope (limited)	1.00 0.76	Very limited ~slope (very limited) ~depth to bedrock (limited)	1.00 0.76	Limited ~depth to bedrock (limited) ~slope (limited)	0.76 0.63	Limited ~depth to bedrock (limited) ~slope (limited) ~too acid (slightly limited)	0.76 0.63 0.06

Washington County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73174: (cont) Yelton-----	Limited ~wetness (limited) ~slope (limited)	0.93 0.76	Very limited ~wetness (very limited) ~slope (limited) ~shrink-swell (slightly limited)	1.00 0.76 0.12	Very limited ~slope (very limited) ~wetness (moderately limited)	1.00 0.56	Limited ~slope (limited) ~wetness (moderately limited)	0.63 0.56	Limited ~slope (limited) ~wetness (moderately limited)	0.63 0.56
73200: Sonsac-----	Very limited ~shrink-swell (very limited) ~depth to bedrock (moderately limited) ~slope (moderately limited)	1.00 0.44 0.30	Very limited ~hard bedrock <40" (very limited) ~shrink-swell (very limited) ~slope (moderately limited)	1.00 1.00 0.30	Very limited ~shrink-swell (very limited) ~slope (limited) ~depth to bedrock (moderately limited)	1.00 0.99 0.44	Very limited ~shrink-swell (very limited) ~depth to bedrock (moderately limited)	1.00 0.44	Moderately limited ~small stones (moderately limited) ~depth to bedrock (slightly limited) ~too acid (slightly limited)	0.30 0.29 0.24
73201: Sonsac-----	Very limited ~shrink-swell (very limited) ~slope (very limited) ~depth to bedrock (moderately limited)	1.00 1.00 0.44	Very limited ~hard bedrock <40" (very limited) ~shrink-swell (very limited) ~slope (very limited)	1.00 1.00 1.00	Very limited ~slope (very limited) ~shrink-swell (very limited) ~depth to bedrock (moderately limited)	1.00 1.00 0.44	Very limited ~slope (very limited) ~shrink-swell (very limited) ~depth to bedrock (moderately limited)	1.00 1.00 0.44	Very limited ~slope (very limited) ~small stones (moderately limited) ~depth to bedrock (slightly limited)	1.00 0.30 0.29
73210: Goss-----	Very limited ~slope (very limited) ~large stones (limited) ~shrink-swell (moderately limited)	1.00 0.70 0.45	Very limited ~slope (very limited) ~large stones (limited) ~shrink-swell (moderately limited)	1.00 0.70 0.45	Very limited ~slope (very limited) ~large stones (limited) ~shrink-swell (moderately limited)	1.00 0.70 0.45	Very limited ~low strength (very limited) ~slope (very limited) ~large stones (limited)	1.00 1.00 0.70	Very limited ~slope (very limited) ~large stones (limited) ~small stones (moderately limited)	1.00 0.99 0.37

Washington County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73214: Moko-----	Not Rated		Very limited		Very limited		Very limited		Very limited	
	Not Rated		~hard bedrock <40" (very limited)	1.00	~hard bedrock <20" (very limited)	1.00	~hard bedrock <20" (very limited)	1.00	~slope (very limited)	1.00
	~hard bedrock <20" (very limited)	1.00	~slope (very limited)	1.00	~slope (very limited)	1.00	~slope (very limited)	1.00	~shallow to bedrock (very limited)	1.00
	~slope (very limited)	1.00	~large stones (slightly limited)	0.16	~large stones (slightly limited)	0.16	~large stones (slightly limited)	0.16	~droughty (very limited)	1.00
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
73215: Crider-----	Not limited		Not limited		Limited ~slope (limited)	0.68	Very limited ~low strength (very limited)	1.00	Not limited	
73218: Tiff-----	Moderately limited		Moderately limited		Very limited		Very limited		Very limited	
	~slope (moderately limited)	0.60	~slope (moderately limited)	0.60	~slope (very limited)	1.00	~low strength (very limited)	1.00	~too clayey (very limited)	1.00
	~shrink-swell (moderately limited)	0.45	~shrink-swell (moderately limited)	0.45	~shrink-swell (moderately limited)	0.45	~shrink-swell (moderately limited)	0.45	~small stones (moderately limited)	0.48
	~large stones (slightly limited)	0.10	~large stones (slightly limited)	0.10	~large stones (slightly limited)	0.10	~slope (slightly limited)	0.16	~droughty (slightly limited)	0.24
73271: Moko-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~hard bedrock <20" (very limited)	1.00	~hard bedrock <40" (very limited)	1.00	~hard bedrock <20" (very limited)	1.00	~hard bedrock <20" (very limited)	1.00	~slope (very limited)	1.00
	~slope (very limited)	1.00	~slope (very limited)	1.00	~slope (very limited)	1.00	~slope (very limited)	1.00	~shallow to bedrock (very limited)	1.00
									~droughty (very limited)	1.00
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	

Washington County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73272: Hildebrecht----	Limited ~wetness (limited) ~shrink-swell (moderately limited)	0.93 0.45	Very limited ~wetness (very limited) ~shrink-swell (moderately limited)	1.00 0.54	Moderately limited ~wetness (moderately limited) ~slope (moderately limited) ~shrink-swell (moderately limited)	0.56 0.45 0.45	Very limited ~low strength (very limited) ~wetness (moderately limited) ~shrink-swell (moderately limited)	1.00 0.56 0.45	Moderately limited ~wetness (moderately limited) ~too acid (slightly limited)	0.56 0.06
73273: Coulstone-----	Very limited ~slope (very limited) ~wetness (limited) ~large stones (slightly limited)	1.00 0.93 0.01	Very limited ~wetness (very limited) ~slope (very limited) ~depth to bedrock (slightly limited)	1.00 1.00 0.27	Very limited ~slope (very limited) ~wetness (moderately limited) ~large stones (slightly limited)	1.00 0.56 0.01	Very limited ~slope (very limited) ~wetness (moderately limited) ~large stones (slightly limited)	1.00 0.56 0.01	Very limited ~slope (very limited) ~droughty (limited) ~too acid (limited)	1.00 0.97 0.92
Bender-----	Very limited ~slope (very limited) ~depth to bedrock (moderately limited) ~large stones (slightly limited)	1.00 0.53 0.29	Very limited ~hard bedrock <40" (very limited) ~slope (very limited) ~large stones (slightly limited)	1.00 1.00 0.29	Very limited ~slope (very limited) ~depth to bedrock (moderately limited) ~large stones (slightly limited)	1.00 0.53 0.29	Very limited ~slope (very limited) ~depth to bedrock (moderately limited) ~large stones (slightly limited)	1.00 0.53 0.29	Very limited ~slope (very limited) ~droughty (very limited) ~too acid (moderately limited)	1.00 1.00 0.54
73274: Scholten-----	Limited ~wetness (limited) ~slope (moderately limited)	0.85 0.45	Very limited ~wetness (very limited) ~slope (moderately limited) ~shrink-swell (slightly limited)	1.00 0.45 0.05	Very limited ~slope (very limited) ~wetness (moderately limited)	1.00 0.49	Moderately limited ~wetness (moderately limited) ~slope (slightly limited)	0.49 0.04	Very limited ~small stones (very limited) ~wetness (moderately limited) ~too acid (moderately limited)	1.00 0.49 0.36

Washington County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73275: Gravois-----	Limited ~wetness (limited) ~shrink-swell (moderately limited)	0.85 0.45	Very limited ~wetness (very limited) ~shrink-swell (moderately limited)	1.00 0.44	Limited ~slope (limited) ~wetness (moderately limited) ~shrink-swell (moderately limited)	0.68 0.49 0.45	Very limited ~low strength (very limited) ~wetness (moderately limited) ~shrink-swell (moderately limited)	1.00 0.49 0.45	Moderately limited ~wetness (moderately limited)	0.49
Goss-----	Very limited ~shrink-swell (very limited) ~slope (limited)	1.00 0.76	Very limited ~shrink-swell (very limited) ~slope (limited)	1.00 0.76	Very limited ~shrink-swell (very limited) ~slope (very limited)	1.00 1.00	Very limited ~shrink-swell (very limited) ~slope (limited)	1.00 0.63	Limited ~droughty (limited) ~small stones (limited) ~slope (limited)	0.69 0.64 0.63
73276: Rueter-----	Slightly limited ~large stones (slightly limited) ~slope (slightly limited)	0.29 0.15	Slightly limited ~large stones (slightly limited) ~slope (slightly limited) ~shrink-swell (slightly limited)	0.29 0.15 0.09	Limited ~slope (limited) ~large stones (slightly limited)	0.83 0.29	Slightly limited ~large stones (slightly limited)	0.29	Very limited ~small stones (very limited) ~too acid (limited) ~droughty (moderately limited)	1.00 0.84 0.43
Hildebrecht----	Limited ~wetness (limited) ~shrink-swell (moderately limited)	0.93 0.45	Very limited ~wetness (very limited) ~shrink-swell (moderately limited)	1.00 0.57	Moderately limited ~wetness (moderately limited) ~slope (moderately limited) ~shrink-swell (moderately limited)	0.56 0.45 0.45	Very limited ~low strength (very limited) ~wetness (moderately limited) ~shrink-swell (moderately limited)	1.00 0.56 0.45	Moderately limited ~wetness (moderately limited) ~too acid (moderately limited)	0.56 0.48

Washington County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73277: Goss-----	Very limited ~shrink-swell (very limited) ~slope (limited)	1.00 0.76	Very limited ~shrink-swell (very limited) ~slope (limited)	1.00 0.76	Very limited ~shrink-swell (very limited) ~slope (very limited)	1.00 1.00	Very limited ~shrink-swell (very limited) ~slope (limited)	1.00 0.63	Limited ~droughty (limited) ~small stones (limited) ~slope (limited)	 0.69 0.64 0.63
73278: Rueter-----	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited) ~too acid (very limited) ~small stones (limited)	 1.00 1.00 0.64
73279: Sonsac-----	Very limited ~shrink-swell (very limited) ~slope (very limited) ~depth to bedrock (moderately limited)	1.00 1.00 0.39	Very limited ~hard bedrock <40" (very limited) ~shrink-swell (very limited) ~slope (very limited)	1.00 1.00 1.00	Very limited ~slope (very limited) ~shrink-swell (very limited) ~depth to bedrock (moderately limited)	1.00 1.00 0.39	Very limited ~slope (very limited) ~shrink-swell (very limited) ~low strength (very limited)	1.00 1.00 1.00	Very limited ~slope (very limited) ~droughty (very limited) ~small stones (limited)	 1.00 1.00 0.74
Moko-----	Very limited ~hard bedrock <20" (very limited) ~slope (very limited)	1.00 1.00	Very limited ~hard bedrock <40" (very limited) ~slope (very limited)	1.00 1.00	Very limited ~hard bedrock <20" (very limited) ~slope (very limited)	1.00 1.00	Very limited ~hard bedrock <20" (very limited) ~slope (very limited)	1.00 1.00	Very limited ~slope (very limited) ~shallow to bedrock (very limited) ~droughty (very limited)	 1.00 1.00 1.00
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	

Washington County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73280: Alred-----	Very limited ~shrink-swell (very limited) ~slope (moderately limited)	1.00 0.30	Very limited ~shrink-swell (very limited) ~slope (moderately limited)	1.00 0.30	Very limited ~shrink-swell (very limited) ~slope (limited)	1.00 0.99	Very limited ~low strength (very limited) ~shrink-swell (very limited)	1.00 1.00	Very limited ~small stones (very limited) ~too acid (slightly limited) ~large stones (slightly limited)	1.00 0.24 0.13
73282: Alred-----	Very limited ~shrink-swell (very limited) ~slope (very limited)	1.00 1.00	Very limited ~slope (very limited) ~shrink-swell (very limited)	1.00 1.00	Very limited ~slope (very limited) ~shrink-swell (very limited)	1.00 1.00	Very limited ~low strength (very limited) ~slope (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00	Very limited ~slope (very limited) ~small stones (very limited) ~too acid (slightly limited)	1.00 1.00 0.24
Sonsac-----	Very limited ~shrink-swell (very limited) ~slope (limited) ~depth to bedrock (moderately limited)	1.00 0.99 0.44	Very limited ~hard bedrock <40" (very limited) ~shrink-swell (very limited) ~slope (limited)	1.00 1.00 0.99	Very limited ~slope (very limited) ~shrink-swell (very limited) ~depth to bedrock (moderately limited)	1.00 1.00 0.44	Very limited ~slope (very limited) ~shrink-swell (very limited) ~depth to bedrock (moderately limited)	1.00 1.00 0.44	Very limited ~slope (very limited) ~small stones (moderately limited) ~depth to bedrock (slightly limited)	1.00 0.30 0.29
73283: Courtois, eroded-----	Very limited ~shrink-swell (very limited) ~wetness (limited)	1.00 0.93	Very limited ~wetness (very limited) ~shrink-swell (very limited)	1.00 1.00	Very limited ~shrink-swell (very limited) ~slope (limited) ~wetness (moderately limited)	1.00 0.68 0.56	Very limited ~low strength (very limited) ~shrink-swell (very limited) ~wetness (moderately limited)	1.00 1.00 0.56	Moderately limited ~wetness (moderately limited)	0.56

Washington County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73284: Courtois-----	Very limited ~shrink-swell (very limited) ~wetness (limited) ~slope (moderately limited)	1.00 0.93 0.45	Very limited ~wetness (very limited) ~shrink-swell (very limited) ~slope (moderately limited)	1.00 1.00 0.45	Very limited ~slope (very limited) ~shrink-swell (very limited) ~wetness (moderately limited)	1.00 1.00 0.56	Very limited ~shrink-swell (very limited) ~low strength (very limited) ~wetness (moderately limited)	1.00 1.00 0.56	Moderately limited ~wetness (moderately limited) ~slope (slightly limited)	0.56 0.04
Goss-----	Limited ~slope (limited) ~shrink-swell (moderately limited)	0.68 0.45	Limited ~slope (limited) ~shrink-swell (slightly limited)	0.68 0.30	Very limited ~slope (very limited) ~shrink-swell (moderately limited)	1.00 0.45	Moderately limited ~shrink-swell (moderately limited) ~slope (moderately limited)	0.45 0.37	Limited ~droughty (limited) ~small stones (limited) ~slope (moderately limited)	0.69 0.64 0.37
73285: Useful-----	Very limited ~shrink-swell (very limited) ~wetness (moderately limited)	1.00 0.37	Very limited ~shrink-swell (very limited) ~wetness (limited) ~depth to bedrock (limited)	1.00 0.99 0.72	Very limited ~shrink-swell (very limited)	1.00	Very limited ~low strength (very limited) ~shrink-swell (very limited)	1.00 1.00	Not limited	
Courtois-----	Very limited ~shrink-swell (very limited) ~wetness (limited) ~slope (slightly limited)	1.00 0.93 0.15	Very limited ~wetness (very limited) ~shrink-swell (very limited) ~slope (slightly limited)	1.00 1.00 0.15	Very limited ~shrink-swell (very limited) ~slope (limited) ~wetness (moderately limited)	1.00 0.83 0.56	Very limited ~shrink-swell (very limited) ~low strength (very limited) ~wetness (moderately limited)	1.00 1.00 0.56	Moderately limited ~wetness (moderately limited) ~too acid (slightly limited)	0.56 0.18

Washington County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73286: Useful-----	Very limited ~shrink-swell (very limited) ~slope (moderately limited) ~wetness (moderately limited)	1.00 0.45 0.37	Very limited ~shrink-swell (very limited) ~wetness (limited) ~slope (moderately limited)	1.00 0.99 0.45	Very limited ~slope (very limited) ~shrink-swell (very limited)	1.00 1.00	Very limited ~low strength (very limited) ~shrink-swell (very limited) ~slope (slightly limited)	1.00 1.00 0.04	Slightly limited ~slope (slightly limited)	0.04
Courtois-----	Limited ~wetness (limited) ~slope (moderately limited) ~shrink-swell (moderately limited)	0.93 0.60 0.45	Very limited ~wetness (very limited) ~shrink-swell (very limited) ~slope (moderately limited)	1.00 1.00 0.60	Very limited ~slope (very limited) ~wetness (moderately limited) ~shrink-swell (moderately limited)	1.00 0.56 0.45	Very limited ~low strength (very limited) ~wetness (moderately limited) ~shrink-swell (moderately limited)	1.00 0.56 0.45	Moderately limited ~wetness (moderately limited) ~slope (slightly limited)	0.56 0.16
73287: Useful-----	Very limited ~shrink-swell (very limited) ~slope (very limited) ~wetness (moderately limited)	1.00 1.00 0.37	Very limited ~slope (very limited) ~shrink-swell (very limited) ~wetness (limited)	1.00 1.00 0.99	Very limited ~slope (very limited) ~shrink-swell (very limited)	1.00 1.00	Very limited ~low strength (very limited) ~slope (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00	Very limited ~slope (very limited)	1.00
Sonsac-----	Very limited ~shrink-swell (very limited) ~slope (very limited) ~large stones (very limited)	1.00 1.00 1.00	Very limited ~hard bedrock <40" (very limited) ~shrink-swell (very limited) ~slope (very limited)	1.00 1.00 1.00	Very limited ~slope (very limited) ~shrink-swell (very limited) ~large stones (very limited)	1.00 1.00 1.00	Very limited ~slope (very limited) ~shrink-swell (very limited) ~large stones (very limited)	1.00 1.00 1.00	Very limited ~slope (very limited) ~droughty (limited) ~too clayey (moderately limited)	1.00 0.65 0.48

Washington County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73288: Caneyville-----	Very limited ~shrink-swell (very limited)	1.00	Very limited ~hard bedrock <40" (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~low strength (very limited)	1.00	Moderately limited ~wetness (moderately limited)	0.56
	~wetness (limited)	0.93	~wetness (very limited)	1.00	~shrink-swell (very limited)	1.00	~shrink-swell (very limited)	1.00	~depth to bedrock (slightly limited)	0.30
	~depth to bedrock (moderately limited)	0.45	~shrink-swell (very limited)	1.00	~wetness (moderately limited)	0.56	~wetness (moderately limited)	0.56	~slope (slightly limited)	0.04
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
73289: Fourche-----	Moderately limited ~wetness (moderately limited)	0.51	Very limited ~wetness (very limited)	1.00	Moderately limited ~slope (moderately limited)	0.45	Very limited ~low strength (very limited)	1.00	Slightly limited ~wetness (slightly limited)	0.13
	~shrink-swell (moderately limited)	0.45	~shrink-swell (moderately limited)	0.32	~shrink-swell (moderately limited)	0.45	~shrink-swell (moderately limited)	0.45		
					~wetness (slightly limited)	0.13	~wetness (slightly limited)	0.13		
73290: Gatewood-----	Very limited ~shrink-swell (very limited)	1.00	Very limited ~hard bedrock <40" (very limited)	1.00	Very limited ~shrink-swell (very limited)	1.00	Very limited ~low strength (very limited)	1.00	Slightly limited ~wetness (slightly limited)	0.13
	~wetness (moderately limited)	0.51	~wetness (very limited)	1.00	~slope (limited)	0.68	~shrink-swell (very limited)	1.00	~depth to bedrock (slightly limited)	0.09
	~depth to bedrock (slightly limited)	0.18	~shrink-swell (very limited)	1.00	~depth to bedrock (slightly limited)	0.18	~depth to bedrock (slightly limited)	0.18		
Aaron-----	Very limited ~shrink-swell (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~shrink-swell (very limited)	1.00	Very limited ~low strength (very limited)	1.00	Slightly limited ~wetness (slightly limited)	0.13
	~wetness (moderately limited)	0.51	~shrink-swell (limited)	1.00	~slope (limited)	0.68	~shrink-swell (very limited)	1.00		
			~depth to bedrock (limited)	0.75	~wetness (slightly limited)	0.13	~wetness (slightly limited)	0.13		

Washington County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73291: Gatewood-----	Very limited ~shrink-swell (very limited) ~slope (limited) ~wetness (moderately limited)	1.00 0.76 0.51	Very limited ~hard bedrock <40" (very limited) ~wetness (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00	Very limited ~slope (very limited) ~shrink-swell (very limited) ~depth to bedrock (slightly limited)	1.00 1.00 0.25	Very limited ~low strength (very limited) ~shrink-swell (very limited) ~slope (limited)	1.00 1.00 0.63	Limited ~slope (limited) ~droughty (moderately limited) ~wetness (slightly limited)	0.63 0.32 0.13
Aaron-----	Very limited ~shrink-swell (very limited) ~slope (limited) ~wetness (moderately limited)	1.00 0.76 0.51	Very limited ~wetness (very limited) ~shrink-swell (very limited) ~slope (limited)	1.00 1.00 0.76	Very limited ~slope (very limited) ~shrink-swell (very limited) ~wetness (slightly limited)	1.00 1.00 0.13	Very limited ~low strength (very limited) ~shrink-swell (very limited) ~slope (limited)	1.00 1.00 0.63	Limited ~slope (limited) ~wetness (slightly limited)	0.63 0.13
73292: Lily-----	Moderately limited ~slope (moderately limited) ~depth to bedrock (moderately limited)	0.60 0.53	Very limited ~hard bedrock <40" (very limited) ~slope (moderately limited)	1.00 0.60	Very limited ~slope (very limited) ~depth to bedrock (moderately limited)	1.00 0.53	Moderately limited ~depth to bedrock (moderately limited) ~slope (slightly limited)	0.53 0.16	Moderately limited ~depth to bedrock (moderately limited) ~too acid (slightly limited) ~slope (slightly limited)	0.46 0.18 0.16
73293: Caneyville-----	Very limited ~shrink-swell (very limited) ~wetness (limited) ~depth to bedrock (moderately limited)	1.00 0.93 0.42	Very limited ~hard bedrock <40" (very limited) ~wetness (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00	Very limited ~shrink-swell (very limited) ~wetness (moderately limited) ~slope (moderately limited)	1.00 0.56 0.45	Very limited ~low strength (very limited) ~shrink-swell (very limited) ~wetness (moderately limited)	1.00 1.00 0.56	Moderately limited ~wetness (moderately limited) ~depth to bedrock (slightly limited)	0.56 0.27

Washington County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73294: Ocie-----	Very limited ~shrink-swell (very limited) ~wetness (limited) ~slope (moderately limited)	1.00 0.99 0.60	Very limited ~wetness (very limited) ~shrink-swell (very limited) ~slope (moderately limited)	1.00 1.00 0.60	Very limited ~shrink-swell (very limited) ~slope (very limited) ~wetness (limited)	1.00 1.00 0.60	Very limited ~low strength (very limited) ~shrink-swell (very limited) ~wetness (limited)	1.00 1.00 0.60	Limited ~wetness (limited) ~slope (slightly limited) ~droughty (slightly limited)	0.60 0.16 0.14
74634: Hartville-----	Very limited ~shrink-swell (very limited) ~wetness (limited)	1.00 0.99	Very limited ~wetness (very limited) ~shrink-swell (very limited)	1.00 1.00	Very limited ~shrink-swell (very limited) ~slope (limited) ~wetness (limited)	1.00 0.68 0.60	Very limited ~low strength (very limited) ~shrink-swell (very limited) ~wetness (limited)	1.00 1.00 0.60	Limited ~wetness (limited)	0.60
74650: Higdon-----	Very limited ~flooding (very limited) ~wetness (limited) ~shrink-swell (moderately limited)	1.00 0.79 0.45	Very limited ~flooding (very limited) ~wetness (very limited) ~shrink-swell (slightly limited)	1.00 1.00 0.29	Very limited ~flooding (very limited) ~wetness (moderately limited) ~shrink-swell (moderately limited)	1.00 0.45 0.45	Very limited ~flooding (very limited) ~low strength (very limited) ~wetness (moderately limited)	1.00 1.00 0.45	Moderately limited ~flooding (moderately limited) ~wetness (moderately limited) ~too acid (moderately limited)	0.60 0.45 0.36
74652: Lecoma-----	Moderately limited ~shrink-swell (moderately limited)	0.45	Moderately limited ~shrink-swell (moderately limited)	0.45	Limited ~slope (limited) ~shrink-swell (moderately limited)	0.68 0.45	Very limited ~low strength (very limited) ~shrink-swell (moderately limited)	1.00 0.45	Not limited	

Washington County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
74653: Raccoon-----	Very limited ~wetness (very limited) ~flooding (very limited)	1.00 1.00	Very limited ~flooding (very limited) ~wetness (very limited) ~shrink-swell (slightly limited)	1.00 1.00 0.17	Very limited ~flooding (very limited) ~wetness (very limited)	1.00 1.00	Very limited ~wetness (very limited) ~flooding (very limited) ~low strength (very limited)	1.00 1.00 1.00	Very limited ~wetness (very limited) ~flooding (moderately limited)	1.00 0.60
Freeburg-----	Very limited ~flooding (very limited) ~wetness (limited) ~shrink-swell (moderately limited)	1.00 0.79 0.45	Very limited ~flooding (very limited) ~wetness (very limited) ~shrink-swell (moderately limited)	1.00 1.00 0.39	Very limited ~flooding (very limited) ~wetness (moderately limited) ~shrink-swell (moderately limited)	1.00 0.45 0.45	Very limited ~flooding (very limited) ~low strength (very limited) ~wetness (moderately limited)	1.00 1.00 0.45	Moderately limited ~flooding (moderately limited) ~wetness (moderately limited) ~too acid (slightly limited)	0.60 0.45 0.12
74656: Deible-----	Very limited ~wetness (very limited) ~flooding (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00	Very limited ~flooding (very limited) ~wetness (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00	Very limited ~flooding (very limited) ~wetness (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00	Very limited ~low strength (very limited) ~wetness (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00	Very limited ~wetness (very limited)	1.00
74661: Waben-----	Not limited		Not limited		Limited ~slope (limited)	0.68	Not limited		Very limited ~small stones (very limited)	1.00

Washington County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
74662: Higdon-----	Limited ~wetness (limited) ~shrink-swell (moderately limited)	0.79 0.45	Very limited ~wetness (very limited) ~shrink-swell (moderately limited)	1.00 0.37	Moderately limited ~wetness (moderately limited) ~shrink-swell (moderately limited) ~slope (slightly limited)	0.45 0.45 0.15	Very limited ~low strength (very limited) ~wetness (moderately limited) ~shrink-swell (moderately limited)	1.00 0.45 0.45	Moderately limited ~wetness (moderately limited)	0.45
75376: Cedargap-----	Very limited ~flooding (very limited) ~wetness (slightly limited)	1.00 0.01	Very limited ~flooding (very limited) ~wetness (limited)	1.00 0.61	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited) ~small stones (slightly limited) ~large stones (slightly limited)	1.00 0.27 0.01
75388: Kaintuck-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00
Relfe-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited) ~droughty (very limited) ~small stones (very limited)	1.00 1.00 1.00
75398: Kaintuck-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00

Washington County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
75406: Racket-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited) ~wetness (slightly limited)	1.00 0.16	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited) ~low strength (limited)	1.00 0.78	Very limited ~flooding (very limited)	1.00
75412: Razort-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Moderately limited ~flooding (moderately limited)	0.60
75427: Gabriel, GRAVELLY SUBSTRATUM PHASE-----	Very limited		Very limited		Very limited		Very limited		Limited	
	~wetness (very limited)	1.00	~flooding (very limited)	1.00	~flooding (very limited)	1.00	~low strength (very limited)	1.00	~wetness (limited)	0.86
	~flooding (very limited)	1.00	~wetness (very limited)	1.00	~wetness (limited)	0.86	~flooding (very limited)	1.00	~flooding (moderately limited)	0.60
	~shrink-swell (moderately limited)	0.45	~shrink-swell (moderately limited)	0.45	~shrink-swell (moderately limited)	0.45	~wetness (limited)	0.86		
75450: Bloomsdale-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited) ~shrink-swell (slightly limited)	1.00 0.07	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00
75453: Sturkie-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited) ~low strength (very limited)	1.00 1.00	Moderately limited ~flooding (moderately limited)	0.60

Washington County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
75459: Huzzah-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited)	1.00
75460: Horsecreek, WET SUBSTRATUM PHASE-----	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited) ~wetness (slightly limited)	1.00 0.16	Very limited ~flooding (very limited)	1.00	Very limited ~flooding (very limited) ~low strength (very limited)	1.00 1.00	Moderately limited ~flooding (moderately limited)	0.60
77014: Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
Taumsauk-----	Very limited ~hard bedrock <20" (very limited) ~large stones (very limited) ~slope (limited)	1.00 1.00 0.68	Very limited ~hard bedrock <40" (very limited) ~large stones (very limited) ~slope (limited)	1.00 1.00 0.68	Very limited ~hard bedrock <20" (very limited) ~large stones (very limited) ~slope (very limited)	1.00 1.00 1.00	Very limited ~hard bedrock <20" (very limited) ~large stones (very limited) ~slope (moderately limited)	1.00 1.00 0.37	Very limited ~large stones >30% (very limited) ~shallow to bedrock (very limited) ~droughty (very limited)	1.00 1.00 1.00
77015: Irondale-----	Limited ~large stones (limited) ~slope (limited) ~depth to bedrock (limited)	0.90 0.83 0.83	Very limited ~hard bedrock <40" (very limited) ~large stones (limited) ~slope (limited)	1.00 0.90 0.83	Very limited ~slope (very limited) ~large stones (limited) ~depth to bedrock (limited)	1.00 0.90 0.83	Limited ~large stones (limited) ~slope (limited) ~depth to bedrock (limited)	0.90 0.84 0.83	Very limited ~droughty (very limited) ~slope (limited) ~depth to bedrock (limited)	1.00 0.84 0.83

Washington County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
77015: (cont)										
Taumsauk-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~hard bedrock <20" (very limited)	1.00	~hard bedrock <40" (very limited)	1.00	~hard bedrock <20" (very limited)	1.00	~hard bedrock <20" (very limited)	1.00	~large stones >30% (very limited)	1.00
	~large stones (very limited)	1.00	~large stones (very limited)	1.00	~large stones (very limited)	1.00	~large stones (very limited)	1.00	~shallow to bedrock (very limited)	1.00
	~slope (limited)	0.91	~slope (limited)	0.91	~slope (very limited)	1.00	~slope (limited)	0.96	~droughty (very limited)	1.00
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
77016:										
Irondale-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~slope (very limited)	1.00	~hard bedrock <40" (very limited)	1.00	~slope (very limited)	1.00	~slope (very limited)	1.00	~slope (very limited)	1.00
	~depth to bedrock (moderately limited)	0.47	~slope (very limited)	1.00	~depth to bedrock (moderately limited)	0.47	~depth to bedrock (moderately limited)	0.47	~droughty (limited)	0.91
									~small stones (limited)	0.88
Taumsauk-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~hard bedrock <20" (very limited)	1.00	~hard bedrock <40" (very limited)	1.00	~hard bedrock <20" (very limited)	1.00	~hard bedrock <20" (very limited)	1.00	~large stones >30% (very limited)	1.00
	~slope (very limited)	1.00	~slope (very limited)	1.00	~slope (very limited)	1.00	~slope (very limited)	1.00	~slope (very limited)	1.00
	~large stones (very limited)	1.00	~large stones (very limited)	1.00	~large stones (very limited)	1.00	~large stones (very limited)	1.00	~shallow to bedrock (very limited)	1.00
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	

Washington County, Missouri: Detailed Soil Map Legend

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Dwellings without basements		Dwellings with basements		Small commercial buildings		Local roads and streets		Lawns and landscaping	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
77017: Knobtop-----	Limited ~wetness (limited) ~shrink-swell (moderately limited) ~depth to bedrock (slightly limited)	0.79 0.45 0.25	Very limited ~hard bedrock <40" (very limited) ~wetness (very limited) ~shrink-swell (moderately limited)	1.00 1.00 0.45	Moderately limited ~wetness (moderately limited) ~shrink-swell (moderately limited) ~depth to bedrock (slightly limited)	0.45 0.45 0.25	Very limited ~low strength (very limited) ~wetness (moderately limited) ~shrink-swell (moderately limited)	1.00 0.45 0.45	Moderately limited ~too acid (moderately limited) ~wetness (moderately limited) ~depth to bedrock (slightly limited)	0.48 0.45 0.13
77019: Frenchmill-----	Very limited ~slope (very limited) ~large stones (slightly limited)	1.00 0.01	Very limited ~slope (very limited) ~large stones (slightly limited)	1.00 0.01	Very limited ~slope (very limited) ~large stones (slightly limited)	1.00 0.01	Very limited ~slope (very limited) ~large stones (slightly limited)	1.00 0.01	Very limited ~slope (very limited) ~small stones (very limited) ~large stones (moderately limited)	1.00 1.00 0.60
99000: Pits, quarries--	Not rated		Not rated		Not rated		Not rated		Not rated	
99001: Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	
99014: Mine tailings--	Not rated		Not rated		Not rated		Not rated		Not rated	